

FITTINGS - PLASTIC CLIP-IN EXACT AIR REGULATOR

AdvantageAir



CLIP-IN EAR



CLIP-IN EAR WITH NECK
ADAPTERS



CLIP-IN EAR CONNECTED TO CUSHION
HEAD ADAPTER

FEATURES

- Low profile inline damper.
- Can be easily transported in breakdown form.
- Easily modified to suit different flexible duct sizes.
- Clips into plastic cushion head adapter.
- Can be internally insulated.
- Can incorporate manual or motorised dampers.
- Integral hanging points
- Suitable for use as a reducer or connector.

CONSTRUCTION

- All components are manufactured from a combination of industrial plastics.
- Internal insulation is moulded polystyrene.
- Additional external insulation can be applied for humid climate applications.

APPLICATIONS


- reverse cycle air conditioning.
- heating.
- ventilation.
- evaporative cooling.

OPTIONAL EXTRAS

The following components are optional extras and are priced separately and must be specified at the time of ordering.

- Insulation.
- Damper blades and gears.
- Manual damper handles.
- Motorised damper shafts.
- Adaptors, blank plates and deflectors.
- Plastic cushion head box

DIMENSIONS



FLEXIBLE DUCT SIZES AVAILABLE	INLET SPIGOT A	OUTLET SPIGOT B
300 DIA	YES	YES
250 DIA	YES	YES
200 DIA	YES	YES
150 DIA	YES*	YES*
CLIP-IN DOUBLE ADAPTOR	YES	YES
CUSHION HEAD BOX	NO	YES

* The outlet can be fitted with two (Ø150mm) neck adapters by using a CLIP-IN DOUBLE ADAPTER.


Important: Both Ø150mm outlets would be controlled by the same damper.

CLIP-IN EXACTAIR REGULATOR (C-EAR)

CEAR

*PLEASE CIRCLE SELECTION REQUIRED

- | | |
|-----|-----|
| 150 | 200 |
| 250 | 300 |



- | | |
|------------|-----|
| INSULATION | YES |
| | NO |

PLASTIC CUSHION HEAD ADAPTOR

NO SPIGOT REQUIRED
IF CONNECTED TO
CUSHION HEAD ADAPTOR

OR

- | |
|-----|
| 150 |
| 150 |
| 200 |
| 250 |
| 300 |

- | | |
|-------|--------|
| MOTOR | BLACK |
| | GREY |
| | GREEN |
| | RED |
| | YELLOW |

MANUAL

NONE

DAMPERS

BLACK	240V	ADM	
GREY	24V	CLIP24	GENIII & ZS
GREEN	24V	ADM24GREENP	CAP
RED	24V	ADM24S	VAV
YELLOW	24V	ELV24	

